



### **Description**

#### 5 Megapixel GigE camera, ICX655 - NEW

The Manta G-504B/C is a 5 Megapixel GigE Vision camera with the Sony ICX655 sensor. It runs 9 fps (full resolution).

The color version includes color interpolation/color correction functions that outperform most cameras in this price class.

- Sony ICX655 (type 2/3), 5 Megapixels
- Sync modes
  - Trigger ready, trigger input, exposing, readout, imaging, strobe, GPO
- Trigger
  - External trigger event: rising/falling/any edge, level high/low
  - External trigger delay: 0 to 60 seconds in 1 μs increments
- Modular options
  - Various IR cut/pass filters
  - Board level version
  - Angled head
  - White medical design




# **Specifications**

Manta	G-504
Interface	IEEE 802.3 1000baseT
Resolution	2452 x 2056
Sensor	Sony ICX655
Туре	CCD Progressive
Sensor Size	Type 2/3
Cell size	3.45 μm
Lens mount	С
Max frame rate at full resolution	9 fps
A/D	14 bit
On-board FIFO	32 MB
	Output
Bit depth	8-12 bit
Mono modes	Mono8, Mono16
Color modes YUV	YUV411, YUV422, YUV444
Color modes RGB	RGB24, BGR24
Raw modes	Bayer8, Bayer16
	General purpose inputs/outputs (GPIOs)
TTL I/Os	0
Opto-coupled I/Os	2 inputs, 2 outputs
RS-232	1
	Power/Mass/Dimensions/Regulations
Power requirements (DC)	8 V - 30 V
Power consumption (12 V)	<3.6 W
Mass	<200 g
Body Dimensions (L x W x H in mm)	86.4 x 44 x 29 mm incl. connectors
Regulations	CE, FCC Class B, RoHS

Download Manta technical drawing (click here)





#### **Smart features**

- ROI (Region of Interest Readout)
- Exposure
  - Auto/one push/programmable
  - Exposure time: 38 μs to 60 s
- White balance
  - Auto/one push/programmable
- Hue, saturation, sharpness (color versions)
- Gain
  - Auto/one push/programmable
  - Manual gain control: 0 to 32 dB (1 dB/step)
- Gamma (0.5)
- DSP subregion (selectable ROI for auto features)
- Binning (up to 8 x 8, independent x and y binning)
- Stream hold
- StreamBytesPerSecond (easy bandwidth control)
- On-board debayering
- 3 storable user sets



## **Applications**

The Manta G-504 is an economically priced 5 Megapixel GigE Vision camera.

#### Applications:

- Industrial inspection with high resolution
- Automation
- Logistics
- Science and research
- Healthcare and medical
- ITS (Intelligent traffic solutions)
- ... and many more